



Welcome to the world of

BETTER LIVING

LED Lighting

Product Catalogue

2023



www.ledimlighting.com

LED IM LIGHTING





Led IM Lighting System Pvt. Ltd Story

Led IM Lighting System Pvt. Ltd is one of the fastest-growing LED light manufacturers in Delhi, the company was Established in 2022 year and our company mainly works for light marketing (sells and manufacturing for the corporate sector). The light installation is external and internal. Doing house wiring, conducting, panel installation as well as industrial wiring. Working on low-voltage cable termination and Grounding (earthing).

With cutting-edge technology, Led IM Lighting System Pvt. Ltd manufactures prime-quality LED luminaires that enhance the lighting experience of your space. Our research team focuses on the innovation, robustness, durability, & serviceability of LED lighting fixtures. Every luminaire designed by us is manufactured to meet global standards. Being the fastest-growing LED lights manufacturer in Delhi NCR, we aim to bring a change in the modern lighting decor industry by providing lighting solutions & services that are eco-friendly and aesthetically vibrant



Vission




"Spreading Happiness by Smart Application of Technology"

Mission 🔭



"We are a leading **Indian** electrical brand with significant global presence. We are focused on making customers happy by consistently providing smart electrical solutions through innovation, world-class manufacturing practices, knowledgeable and customer-oriented distribution network, highly responsive after sales service and engaged employees."



Our Values

Excellence Integrity

We encourage practicing empathy in all our acts

We respect each individual and value everyone's contribution in the value chain

Collaboration

We care for the need of individual and professional development

Trust Care

We partner in creating a caring environment



Salient Features and Benefits of the LED Technology





What makes our smart lights standout



SAVE MORE WITH OUR LEDS

Our LED products conserve up to 50% more energy than CFLs. What truly sets us apart from other LEDs, is the fact that our LED products are designed to be more efficient and brighter. All our products available in the market can reach an efficiency rate of up to 120 lm/W.



TESTED TO LAST LONGER

Before our products hit the market, every LED is tested for well over 50,000 hours, which is their normal lifespan. In comparison, normal LEDs have a lifespan of 1,000 to 10,000 hours.



BUILT WITH SUPERIOR ENGINEERING

The heat produced from an LED is most often what affects their lifespan since they are sensitive to temperature. To resolve this problem, Our LEDs feature a Heat Sink Mechanism to dissipate heat. They are scientifically designed with pressure die-cast or extruded aluminum, which allows for better cooling. This makes our LEDs work across temperatures ranging from -20°C to +50°C.



DESIGNED WITH HIGH-QUALITY OPTICS

We uses high-quality, non-yellowing diffusers to ensure a glare-free environment with uniform light distribution, and minimum light loss. Normal LEDs available in the market, feature low-quality diffusers that are prone to turning yellow with time, causing strain on the eye.



DESIGNED TO OUTLAST

In an LED system, the weakest link is the driver (an electrical device that regulates the power of an LED). Our LEDs are engineered with robust drivers that are designed keeping in mind the state of unreliable electrical grids. Our drivers offer a wide operating voltage range of 100-240 VAC and have inbuilt protection like surge protection, short circuit, and overload protection.



A PRODUCT FOR EVERY SPACE

Our LED products conserve up to 50% more energy than CFLs. What truly sets us apart from other LEDs, is the fact that our LED products are designed to be more efficient and brighter. All our products available in the market can reach an efficiency rate of up to 120 lm/W.



COLOUR UNIFORMITY

During production, each LED has its own unique colour, brightness and voltage levels, which leads to colour inconsistency across LED products if they are made directly with these LEDs. However, our LEDs are segregated according to colour to ensure colour uniformity across all our products.



ECO FRIENDLY

Our LEDs contain no harmful chemicals like mercury, which can be hazardous when leaked into the environment while being discarded. Unlike most LEDs, our LEDs emit almost no UV and IR radiations, which can harm sensitive materials and surfaces like goods and artwork.



CUSTOMISED LIGHTING SOLUTIONS

Our team of dedicated Wipro Lighting Design experts is always available to provide creative lighting design solutions for your home for free. Our solutions give you the flexibility to create different light settings as per your requirements. This not only enhances the ambiance but also saves a lot of energy.



WE PROMISE

We reflect innovation and technology. Every service and product we manufacture is checked thoroughly to ensure that we only deliver the highest quality of goods.

Indoor Lighting

Cabinet Light Series	8-10
Junction Box Series	11-13
Panel Light Series	14-17
Surface Panel Light Series	18-21
Track Light Series	22-24
Wall Light Series	25-26
Cob Down Light Series	27-30
Bedside Lamp Series	31-32
Picture Light Series	33-34
Hanging Light Series	35-36
Foot Light Series	37-38
Strip Light Series	39-41
Sensor Series	42-44

Aluminium Profile Lighting

Aluminium Profile Lighting





Magnetic Lighting

Magnetic Profile	61-62
Magnetic Grill	63-64
Magnetic Wallwasher	65-66
Magnetic Track	67-68
Magnetic Hanging	69-70
Magnetic Accessories	71-72

Outdoor Lighting

LED Post Top Luminaires	74-76
LED Post Top Hanging Luminaires	77
Garden Light Bollards	78-83
Decrative Poles	84-85
Spike Garden Light	86
Decorative Modern Poles	87-89
Designer Decorative Poles	90-91
Casted Decorative Pole Light	92







CABINET LIGHT SERIES

As its name suggests, under cabinet lighting refers to lights that are installed under a cabinet, resulting in illumination of the area immediately below a row or section of cabinets. Under cabinet lighting has several distinct advantages. First, under-cabinet lighting is resourceful rather than needing to install an entire lamp fixture or ceiling fixture, under-cabinet lights can be installed directly into a cabinet that is already fixed into place. As a result, under-cabinet lighting can be very cost-effective, especially when considering the total cost of materials.

PRODUCT RANGE



Classic COB **Buttton Light**



Prime Profile Light



Classic Cabinet Surface Light



Waterproof Cabinet Surface Light





CLASSIC COB BUTTON LIGHT

A COB light allows you to change the direction and intensity of the light as you like and preserve the setup for a long time. Constructively, a COB light is a panel of LED chips packed together very closely. You can't see any space between the LED chips since they are compact.



PRODUCT DETAILS

Model Number	r Cut Out Size	Outer Size	Lumen
IM-422-1.5w_100	27MM	W30MMxH25MM	100LM
IM-629-3w_120	30MM	W38MMxH25MM	300LM
Color Available :	White, Natural White,	● Red, ● Green, ● Blue	Pink
IM-519-IW-PKW/BK_130	25MM	W30MMxH29MM	100LM
IM-519-3w-PKW/BK_160	30MM	W38MMxH31MM	300LM
IM-569-3w-RG_170	30MM	W38MMxH28MM	300LM
	Color Available: W	/arm White	


PRIME PROFILE LIGHT

A Profile light is made up of several individual components attached together. These lights are exclusively used to light up those corners and edges of your walls and ceilings which are out of the reach of normal light bulbs to illuminate.

Model Number	Cut Out Size	Outer Size	Lumen
IM-570-4W_240	Surface	W300ММхН10ММ	400LM
IM-570-8W-2FT_350	Surface	W600MMxH10MM	800LM
IM-570-12W-3FT_570	Surface	W900ММхН10ММ	1200LM
IM-570-18W-4FT_720	Surface	W1200MMxH10MM	1800LM
Color Availa	ble: White, Natural	White, Warm White	



CLASSIC CABINET **SURFACE LIGHT**



◊ 1 Year Warranty
◊ Price Revised
◊ Limited Stock
◊ In-built Driver

PRODUCT DETAILS

Model Number	Cut Out Size	Outer Size	Lumen
FAB -669-3W-120	Surface	W60MM XH10MM	300LM
Color Available: • W	/hite, • Warm White,	Red, 🌘 Green, 🐞 Blue	• Pink

WATERPROOF CABINET SURFACE LIGHT

A Profile light is made up of several individual components attached together. These lights are exclusively used to light up those corners and edges of your walls and ceilings which are out of the reach of normal light bulbs to illuminate.



Model Number	Cut Out Size	Outer Size	Lumen
FAB-389 -3W_200	Surface	W60ММ х Н10ММ	300LM
	Color Available: • Wa	rm White	

JUNCTION BOX SERIES



An electrical junction box is an enclosure housing electrical connections. Junction boxes protect the electrical connections from the weather, as well as protecting people from accidental electric shocks.



PRODUCT RANGE



Classic Deep Light



COB Conceal Light



Classic Concal Light



Prime Conceal Light





CLASSIC DEEP LIGHT



The Classic light series bulb is the "classic" glass light bulb shape that has been the most commonly used type for general lighting service (GLS) application. It has a pear-like shape and is typically fitted to either an Edison screw or a bayonet

2 Year Warranty
Price Revised
Limited Stock
In-built Driver

PRODUCT DETAILS

Model Number	Cut Out Size	Outer Size	Lumen
FAM-601-3W_100	50MM	68MM	300LM
Cold	or Available: • White	Red Blue	

COB CONCEAL LIGHT

COB light is a continuous light source. It is a type of LED light that you can place anywhere and have it illuminate the subject for hours. You can hold it or mount it on a light pole, keep it in the studio, or take it with you. A COB light allows you to change the direction and intensity of the light as you like and preserve the setup for a long time.




♦ 2 Year Warranty
♦ Price Revised
♦ Limited Stock
♦ In-built Driver

Model Number	Cut Out Size	Outer Size	Lumen
FAB-606-5W-160	70MM	95MM	550LM
Cold	or Available: • White	Red Blue	



CLASSIC CONCEAL LIGHT



♥ 2 Year Warranty **♥** Price Revised **♥** Limited Stock **♥** In-built Driver

PRODUCT DETAILS

Model Number	Cut Out Size	Outer Size	Lumen
FAB-601-7w_140	75MM	110MM	560LM
Color Available	: • White Red	Green Blue Pink	Ī
FAB-601-7W-3in1-220	75MM	110MM	560LM
Color Available	: • White • Warm	White • Natural White	

PRIME CONCEAL LIGHT

Concealed lighting, often called hidden or indirect lighting, is to conceal the light source while providing an ambient glow to a space. Concealed lighting, in contrast to more conventional light sources, is not designed to illuminate an entire room but rather to set a particular ambience.



✓ 2 Year Warranty Price Revised Limited Stock In-built Driver Aluminium Housing

Model Number	Cut Out Size	e Outer Size	Lumen
FAB-806-10W-200	75ММ	110MM	1000LM
Color Ave	ailable: Red 💌	Green Blue Pink	

PANEL LIGHT SERIES



LED Panel Lights are Ceiling lights which can be circular or square in shape. They produce bright illumination through LEDs. LED Panels can be recessed, surface mounted or suspended from the ceiling.



PRODUCT RANGE



Adjustable Panel Light



Prime Adjustable Light



Classic Down Panel Light



Classic Slim Panel Light




Prime Deep Panel Light





ADJUSTABLE PANEL LIGHT



They are perfect for false ceilings, as they recede into the ceiling and provide a sleek, flush look. Not only do these lights look great, but they are also highly energy efficient, helping to reduce energy costs.

✓ 2 Year Warranty Round & Square Available New Product Aluminium Housing

PRODUCT DETAILS

Model Number	Cut Out Size	Outer Size	Lumen
FAB-611A-12W_320	63-100MM	W120MM x H10MM	1100LM
FAB-611A-18W_460	75-150MM	W170MM x H10MM	1530LM
FAB-611A-24W_640	75-200MM	W223MM x H10MM	2040LM
Color Availab	ole: • White • Warm W	hite • Natural White	1

PRIME ADJUSTABLE PANEL LIGHT

They are perfect for false ceilings, as they recede into the ceiling and provide a sleek, flush look. Not only do these lights look great, but they are also highly energy efficient, helping to reduce energy costs.

Model Number	Cut Out Size	Outer Size	Lumen
FAB-711-12W-SQ-420	70-90MM	125MM	1200LM
FAB-711-18W-SQ-610	75-135MM	145MM	1800LM
FAB-711-24W-SQ-810	75-155MM	170MM	2400LM
Color Availabl	e: • White • Warm Whit	te • Natural White	



CLASSIC DOWN PANEL LIGHT

Illumine your outdoor and balcony LED IM Led panel light series that is longlasting, with a lifespan of over 20,000 hours.



PRODUCT DETAILS

Model Nun	nber Cut (Out Size	Outer Size	Lumen
FAB-911-6W_200	10	05MM	120MM	540LM
FAB-911-12W_320	Ţ,	35MM	145MM	1080LM
FAB-911-18W_360	15	55MM	165ММ	1620LM
FAB-911-22W_540	15	55MM	165MM	1620LM
Cold	or Available : Whi	ite Warm Whit	e Natural White	
FAB-911-6W-3in1_2	10	05MM	120MM	540LM
FAB-911-18W-3in1_	560 15	55MM	165MM	1620LM
FAB-911-22W-3in1_	280 2	00ММ	220MM	1760LM
Cold	or Available: Whi	ite Warm Whit	e Natural White	

CLASSIC SLIM PANEL LIGHT

LED IM Slim Panel series is a veteran in the space of edge lit panel with a timeless classic design. Separate driver & housing gives it a long lasting easy to install & maintain feature that is loved by all customers.



Model Number	Cut Out Size	Outer Size	Lumen
IM-905-8W_240	105MM	120MM	540LM
IM-905-15W_420	150MM	170MM	1350LM
IM-905-22W_600	205MM	225MM	1800LM
Color Available	: ● White ● Warm Whi	te • Natural White	



PRIME DEEP PANEL LIGHT



Prime LED panel light is smartly designed to meet your expectations and budget at the same time. This ecologically viable fixture is ideal for a rich and vibrant space.

PRODUCT DETAILS


Model Number	Cut Out Size	Outer Size	Lumen			
IM-411-12W_520	110MM	W120MM x H50MM	1100LM			
IM-411-18W_720	140MM	W150MM x H50MM	1700LM			
Color Available	: White Warm V	White Natural White				
Housing : Black & White						





SURFACE PANEL LIGHT SERIES

Brighten up your home & office spaces with LED IM range of Surface LED Panels. These ceiling mounted LED panels are highly energy efficient & have a decent look when fix.







SLIM SURFACE PANEL LIGHT

These surface panel lights are beautifully designed with a narrow trim at the edges and thickness of the panel is much less than the normal surface panels. This surface-light can be used for general lighting on the ceilings of all your rooms.

PRODUCT DETAILS

Model Number	Cut Out Size	Outer Size	Lumen		
IM-811-10W_300	Surface	W120MM x H10MM	910LM		
IM-811-15W_500	Surface	W150MM x H10MM	1350LM		
Color Available: White Warm White Natural White					

SENSOR SURFACE PANEL LIGHT

We have a range of Motion Sensor based LED Lights in our product portfolio. Among the most popular are LED Wardrobe Lights, LED Tube Lights, LED Panel Lights and LED Bulkhead Lights.




Year Warranty New Product Motion Sensor Light

Model Number	Cut Out Size	Outer Size	Lumen
FAB-811-12W-SENSOR_750	Surface	W130MM	900LM
	Color Available: •	White	



PRIME COB SURFACE LIGHT





PRODUCT DETAILS

Model Number	Cut Out Size	Outer Size	Lumen
IM-046-6W-ORG_600	Surface	W55MM x H90MM	600LM
IM-046-12W-ORG_900	Surface	W75MM x H120MM	1200LM
IM-046-18W-ORG_1100	Surface	W75MM x H150MM	1800LM
IM-046-24W-ORG_1650	Surface	W95MM x H165MM	2400LM
Color Available	: White Warm W	hite Natural White	
Housing:	Black + Champagi	ne Gold Reflector	
	White + Chrome Re	eflector	

PRIME COB SQUARE SURFACE LIGHT

A CoB LED (or chip-on-board LED) is a single device with many LED chips mounted on a thermally efficient substrate placed below a uniform phosphor coating. Anyone who walks through a store or home with recessed or track lighting likely experiences light from a chip-on-board LED (CoB).

Year Warranty New Product Aluminium Housing

Model Number	Cut Out Size	Outer Size	Lumen
IM-046-6W-SQ_540	Surface	W55MM x H75MM	600LM
IM-046-12W-SQ_700	Surface	W75MM x H95MM	1200LM
Color A	vailable: Warm White	Natural White	
	Housing: Black + R	Reflector	
	Black + G	old Reflector	



WATERPROOF COB **SURFACE LIGHT**





PRODUCT DETAILS

Model Number	Cut	Out Size	Outer Size	Lumen
IM-046-W-12W_1100		Surface	W75MM x H90MM	1200LM
Color Av	railable :	Warm White	Natural White	
H	lousing:	Black +Gun Bl	lack Reflector	

MOVING COB SURFACE LIGHT

Surface Mounted Downlight COB Light design is a perfect blend of functionality and amazing aesthetics. Every piece has been crafted with passion.



Model Number	Cut	Out Size	Outer Size	Lumen
IM-046-M-12W_850	(Surface	W75MM x H90MM	1200LM
Color Av	ailable:	Warm White	Natural White	
н	lousing:	Black+ Gun Re	eflector	

TRACK LIGHT SERIES



Harold Premium Lights offers a range of magnetic track lights that are perfect for illuminating any space in style. These lights are perfect for the bedroom, dining room, hall ETC.



PRODUCT RANGE





Classic COB Track Spot Light



Two Wire Track Channel



Track Connector





ECON COB TRACK SPOT LIGHT



The COB track lights are well known to aim the lights where it is needed the most they disperse the light at 24° beam angle & CRI 90+ to light up the true colors of the object. The tracks allow the lights to float in the direction where you needed them to be. Rhombus COB Ceiling Spotlight is super easy to assemble.

PRODUCT DETAILS

Model Number	Cut Out Size	Outer Size	Lumen
IM-1033TR-10W_700	Track Light	W64MM x L115MM	800LM
IM-1033TR-20W_1000	Track Light	W80MMxL135MM	1700LM
IM-1033TR-30W_1300	Track Light	W90MMxL155MM	2500LM
Color Availe	able: • White • Warm V	Vhite • Natural White	
Hous	sing: • Black & White		

CLASSIC COB TRACK SPOT LIGHT

LED Track COB Lights. COB (Chip On Board) down lights directly position LED chips on a circuit board which utilizes thermal assets that distribute heat. Since the LEDs are concentrated in one area, more cooling capacity is required. This cooling is achieved by the heat sink made from aluminum.

Model Number	Cut Out Size	Outer Size	Lumen
IM-2033TR-10W_800	Track Light	W65MM x L115MM	1000LM
IM-2033TR-18W_1200	Track Light	W85MM x L138MM	1800LM
IM-2033TR-30W_1700	Track Light	W105MM x L168MM	3000LM
IM-2033TR-50W_2200	Track Light	W120MM x L180MM	5000LM
Color Availab	le: White Warm W	Vhite Natural White	
Housin	g: • • Black & White		



TWO WIRE TRACK CHANNEL



Track channels are the main infrastructure of track light installations. The track light is mounted on them, and the track channel provides the power to the lights. This is a made in India Track channel, with a heavy aluminum extrusion body and pure thick copper wire to provide the medium for current transmission.



Back Plate

PRODUCT DETAILS

Model Numbe	r Cut Out Size	Outer Size
IM-1METER-M_150	Track Channel	1 METER
IM-2METER -M_300	Track Channel	2 METER
IM-IMETER-H_270	Track Channel	1 METER
IM-2METER-H_ 540	Track Channel	2 METER
IM-3METER-h-810	Track Channel	3 METER
	Color Available: Black & White	

TRACK CONNECTOR


Track Connectors are designed to enable building upwards using normal straight tracks. The tab part of the connectors goes down a bit and the blank part has a recess.



Model Number	Cut Out Size
I CONNECTOR_60	Track Connector
LCONNECTOR_60	Track Connector
T CONNECTOR_140	Track Connector
X CONNECTOR_200	Track Connector

WALL LIGHT SERIES

LED IM Light series has excellent modern sconces can be divided into many types, from waterproof rated, it includes indoor wall light fixtures and exterior wall lights from the appearance.



PRODUCT RANGE









CLASSIC COB **WALL SPOT LIGHT**



COB is the abbreviation of chip-on-board. It is a high-efficiency integrated surface light source technology that directly attaches LED chips to a mirror metal substrate with high reflectivity. It is mainly used to solve the problems of low-power chips manufacturing high-power LEDs.

PRODUCT DETAILS

Model Number	Cut Out Size	Outer Size	Lumen
IM-2033WL-12_640	Wall Light	W65MM x L120MM	1200LM
IM-2033WL-20W_112	Wall Light	W76MM x L150MM	2000LM
IM-2033WL-30W_1520	Wall Light	W88MM x L165MM	3000LM
IM-2033WL-50W_2000	Wall Light	W105MM x L185MM	5000LM
Color Availab	le: White Warm \	White Natural White)
Housin	g: • • Black & Whit	е	

PRIME COB **WALL SPOT LIGHT**

A COB light allows you to change the direction and intensity of the light as you like and preserve the setup for a long time. Constructively, a COB light is a panel of LED chips packed together very close. You can't see any space between the LED chips since they are compact.

2 Year Warranty
Limited Stock
Aluminium Housing

Model Number	Cut Out Size	Outer Size	Lumen
IM-046WL-6W_760	Wall Light	W55MM x H90MM	600LM
IM-046WL-12W_1100	Wall Light	W75MM x H120MM	1200LM
IM-046WL-18W_1300	Wall Light	W75MM x H150MM	1800LM
IM-046WL-24W_1800	Wall Light	W95MM x H165MM	2400LM
Color Availabl	e: White Warm V	Vhite Natural White	
Housing: • Black + C	hampagne Gold Reflec	tor • White + Chrome F	Reflector

COB DOWN LIGHT SERIES

LED IM very beautifully crafted Downlight COB light that allows you to experience the beauty of a well-lit room. Surface Mounted Downlight COB Light design is a perfect blend of functionality and amazing aesthetics.

PRODUCT RANGE



Trimless COB Down Light



Prime Trimless COB Down Light



Classic COB Down Light



Prime COB Down Light



Double COB Down Light



Prime Linear Light





CLASSIC COB DOWN LIGHT

This product is well suited for areas where fixed focus is required. The daimond cut reflector helps in an ultra edge illumination area and the Air-O dynamic heat sync helps in a proper heat desipation which gives the product a long life.



PRODUCT DETAILS

Model Number	Cut Out Size	Outer Size	Lumen
IM-621-3W_270	55MM	W70MM x H50MM	300LM
IM-621- 6W_440	65MM	W85MM x H56MM	600LM
IM-621-9W_540	70ММ	W85MM x H65MM	900LM
IM-621-16W_760	90MM	W110MM x H75MM	1600LM
IM-621-30W_1000	120MM	W140MM x H90MM	2400LM
IM-621-30W_1280	135MM	W160MM x H100MM	3000LM
IM-621-50W_1680	145MM	W160MM x H105MM	5000LM
Color Availab	ole: • White • Warm V	Vhite • Natural White	

DOUBLE COB DOWN LIGHT

COB downlights provide a better light source. It achieves a more focused light and with the use of reflectors, the light beam can be controlled. Chrome reflectors surrounding the diode can be replaced and set at different angles to make the light beam narrower or wider.



Model Number **Cut Out Size** Outer Size Lumen IM-1110-2*7W_1200 55x125MM W68xL135xH50MM 1400LM Natural White Color Available: • Warm White Housing: White + Gun Black Reflector, Black + Rose Gold Reflector



TRIMLESS COB DOWN LIGHT



A trimless light fitting is a plastered-in fitting, a light fitting that has "no trim" because it is "buried" in the ceiling or wall, shedding light in a seamless way without any round / square edge around it.

PRODUCT DETAILS

Model Number	Cut Out Size	Outer Size	Lumen
IM-2110-7W_400	58ММ	63MM	700LM
IM-2110-12W_500	73MM	80MM	1200LM
IM-2110-18W_840	85MM	95MM	1800LM
Color Availab	le: • White • Warm Whit	e Natural White	
Housin	g: • Black & White		

Prime Trimless cob down light



A trimless light fitting is a plastered-in fitting, a light fitting that has "no trim" because it is "buried" in the ceiling or wall, shedding light in a seamless way without any round / square edge around it.

2 Year Warranty Limited Stock Aluminium Housing

Model Number Cut Out Size Outer Size Lumen Housing: Gun Bigiqki, Gold & Champagge Mald IM-3110-12W_600 1200LM Color Available: • White • Warm White • Natural White



PRIME COB DOWN LIGHT




COB downlights provide a better light source. It achieves a more focused light and with the use of reflectors, the light beam can be controlled. Chrome reflectors surrounding the diode can be replaced and set at different angles to make the light beam narrower or wider.

2 Year Warranty
New Premium producty
Aluminium Housing

PRODUCT DETAILS

Model Number	Cut Out Size	Outer Size	Lumen
IM-1110-7W_460	65MM	W70MM x H66MM	700LM
IM-1110-12W_600	80MM	W80MM x H66MM	1200LM
IM-1110-18W_900	90ММ	W100MM x H84MM	1800LM
Color Availabl	e: • White • Warm V	Vhite • Natural White	
Housin	g: • White + Rose	Gold Reflector	
Black +	Black Reflector, Black +	Rose Gold Reflector	

PRIME LINEAR LIGHT





2 Year Warranty
New Premium Product
Aluminium Hosing

Model Number	Cut Out Size	Outer Size	Lumen
IM-02-6W_400	35x85MM	125MM	1200LM
IM-02-10W_500	35x138MM	145MM	1800LM
IM-02-20W_730	35x272MM	170ММ	2400LM
Color Availab	le: ●White ●Warm Whi	te • Natural White	(
Housin	g: White + White Reflector		
White + Rose Gold Refl	lector, Black +Black Reflecto	or, Black + Rose Gold	Reflector

BEDSIDE LAMP SERLES

Unlike traditional designs, this second generation lamp uses advanced inversion molding and an auxiliary heat dissipation design to let the light emanate from the full body of the lamp. Fill the whole room with soft light to create a nice, warm atmosphere or just to light up the room for everyday use.

PRODUCT RANGE







COB READING LIGHT

A COB LED (or chip-on-board LED) is a single device with many LED chips mounted on a thermally efficient substrate placed below a uniform phosphor coating. Anyone who walks through a store or home with recessed or track lighting



2 Year Warranty
Aluminium Housing
Hot Selling

PRODUCT DETAILS

Model Number	Cut Out Size	Outer Size	Lumen
IM-514-5W_500	Surface	W35MM x H450MM	500LM
IM-514-10W_1000	Surface	W75MM x H450MM	1000LM
Color Availab	le: White Warm	White Natural White	
Housin	g: • • Black & Whit	e	





PICTURE LIGHT SERIES

Photo and Picture lights are light fixtures that tend to be invisible. These are pieces that are often simple, monochromatic and versatile. Highlighting ornate and intricate pictures, furniture and decor are the main functions of these lighting pieces.

PRODUCT RANGE









MIRROR LIGHT

A mirror light is a kind of light that is separate from the mirror. The light source is shot from the side of the top. That is, there are several light bulbs on the side of the

PRODUCT DETAILS

1 Year Warranty
New Product
Aluminium Housing

Model Number	Cut Out Size	Outer Size	Lumen
IM-77WL-12W_1260	Surface	W500MM x H110MM	1200LM
Color Available :	• White • Warm White	Natural White (3c)	
Housing:	Black + Rose Gold, Rose G	old	
IM-875WL-12W_1260	Surface	W500MM x H110MM	1200LM
Color Available :	White Warm White	Natural White (3c)	
Housing:	Black + Gold, Antique		
IM-375WL-12W_1550	Surface	W500MM x H110MM	1200LM
Color Available :	• White • Warm White	Natural White (3c)	
Housing:	Copper		



HANGING LIGHT SERIES

Our Series Hanging Lights are perfect additions to your living or dining area. They look particularly striking over a dining table but we also see them looking really attractive over a work or reception desk. Wherever you choose to install them, we guarantee that your family and friends will be impressed.

PRODUCT RANGE









PRIME SPOT HANGING LIGHT

Prime spot hanging light often called pendant light, sometimes called a drop or suspender, is a lone light fixture that hangs from the ceiling usually suspended by a cord, chain, or metal rod. Pendant lights are often used in multiples, hung in a straight line over kitchen countertops and dinette sets or sometimes in bathrooms.



PRODUCT DETAILS

Model Number	Cut Out Size	e Outer Size	Lumen
IM-1202-5W_1400	Hanging	W30MM x H600MM	500LM
IM-1202-7W_1680	Hanging	W40MM x L500MM	700LM
IM-1202-12W_1920	Hanging	W60MM x L400MM	1200LM
	Color Available: •	Warm White	
	Housing: B	lack + Rose Gold Reflector	

PRIME SPOT LINEAR HANGING LIGHT

Philips' linear pendant lighting range offers a stylish solution for illuminating any office space. Linear pendant lighting fixtures are both versatile and energy efficient. Choose from a wide variety of linear pendant suspended lights or surface-mounted lights to perfectly brighten your work area.

1 Year Warranty
New Product
Aluminium Housing

Model Number	Cut Out Size	Outer Size	Lumen
IM-1201A-45W_2300	Hanging	W60MM x L1200MM	4500LM
IM-1201B-45W_2300	Hanging	W60MM x L1200MM	4500LM
Color Available	: White Warm W	hite Natural White	
Housing:	: Black		
IM-1201B-45W_2500	Hanging	W60MM x L1200MM	4500LM
Color Available	: • White • Warm W	hite • Natural White	
Housing:	: • Golden		

FOOT LIGHT SERIES

A footlight is a theatrical lighting device arranged to illuminate a stage from the front edge of the stage floor in front of the curtain. Originally set in a row of hooded individual enclosures, electric footlights are presently set in troughs across the edge of the stage so that they are not visible to the audience.


PRODUCT RANGE







FOOT LIGHT





PRODUCT DETAILS

Model Number	Cut Out Size	Outer Size	Lumen
IM-203-3W_390	75MM	85MM * 85MM	300LM
IM-203-5W_540	125MM	135MM * 85MM	500LM
IM-203-3WSENSOR_540	75MM	85MM * 85MM	300LM
	Color Available: • Wa	rm White	
	Housing: Black	& White	



STRIP LIGHT SERIES

The idea behind connecting two LED strip sections in "series" is probably the most logical and straightforward method. You can think of it as simply joining one end of an LED strip to the next LED strip section.

PRODUCT RANGE



Low Voltage Strip Light



High Voltage SMD Pipe



Low Voltage Strip Adapter




High Voltage SMD Plug





LOW VOLTAGE STRIP LIGHT





✓ 1 Year Warranty
 ✓ Copper Pcb
 ✓ Both Side Wire
 ✓ Dc12v lp20

PRODUCT DETAILS

Model Number	Cut Out Size	Outer Size	Lumen
IM-2835-120LED_60	Copper	Double PCB	24LM/LED
Color Available	e: • White • Warm V	Vhite • Natural White	
IM-2835-240LED_120	Copper	Double PCB	24LM/LED
Color Available	e: • White • Warm V	Vhite • Natural White	
IM-2835-320COB_200	Copper	Double PCB	1200LM/M
Color Available	: • Warm White		

HIGH VOLTAGE SMD PIPE

SMD LEDs stand for Surface Mount Device and Light Emitting Diode. The combination of these acronyms indicates electronic components made up of LED modules that are mounted directly on one side of the printed circuit board using surface mount technology.



1 Year Warranty
220V
HIGH BRIGHTNESS
COPPER PCB

Model Number	Cut Out Size	Outer Size	Lumen
IM-2835-120LED_4000	6MM	50Meter	100LM/M
Color Available :	● White ● Warm White	Natural White	Blue
IM-2835-120LED_4400	6ММ	50Meter	100LM/M
18	Color Available : : Red	Green	
IM-2835-120LED_5000	6MM	50Meter	100LM/M
Ho	using: Pink 🏮 Ice Blue	Amber	



LOW VOLTAGE STRIP ADAPTER

2 Year Pc To Pc Guarantee



PRODUCT DETAILS

Model Number
IM-6060-5AMP-60W_380
IM-6060-10AMP-120W_580
IM-6060-25AMP-300W_1000

HIGH VOLTAGE SMD PLUG

High voltage connectors (HV connectors) are typically used in AC, DC and RF applications that experience high voltage. These connectors make it possible to transmit signals with high voltage ratings without posing safety risks to operators. Any connector above 1 kVAC is considered high voltage.



Model Number

IM-220V2835-6MM-4A_60



SENSOR SERIES

Motion sensor lights are basically LED light bulbs and tube lights which are controlled by infrared sensors and a motion detector. The presence or absence of a person or object in front of LED lights are auto detected.

PRODUCT RANGE



Wardrobe Sensor



Motion Sensor



32 Stair Controller



Strip Dimmer





WARDROBE SENSOR



For fitted wardrobes or sliding door wardrobes, the lighting is installed inside, and provides illumination only of its contents. They are usually equipped with an infrared sensor that detects movement. That is, when the door is opened, the light will automatically turn on.

1 Year Guarantee
Load 5amp Max

PRODUCT DETAILS

Model Number	Max Load	
IM-SLNGLE DOOR_360	12V-60W 124V-120W	
IM-DOUBLE DOOR_500	12V-60W 124V-120W	
Color Available: •	Black & White	

MOTION SENSOR


Motion sensor lights are basically LED light bulbs and tube lights which are controlled by infrared sensors and a motion detector. The presence or absence of a person or object in front of the LED lights is automatically detected which eventually turns off the light when there is no movement.




Model Number	Max Load
IM-CONCEAL SEENSOR_360	220V-36W MAX
Color Available	: • White
IM-SURFACE SENSOR_600	220V-60W MAX
Color Available	e: • White



32 STAIR CONTROLLER





1 Year Guarantee

PRODUCT DETAILS

Model Number	Max Load
IM-STAIRS SENSOR_5000	350W MAX
Color Available: • • Blac	k & White

STRIP DIMMER

A DC PWM LED strip dimmer can be installed between a standard, non-TRIAC dimamble power supply, and the LED strip. It usually consists of a turn dial (potentiometer) that adjusts the LED strip brightness. The power supply can be any standard DC power supply and does not need to be TRIAC dimmable.



1 Year Guarantee

Model Number	Max Load	
IM-KNOB DIMMER_400	30AMP	
Color Available :	Black	
IM-REMOTE DIMMER_825	30AMP	
Color Available :	Black	





ALUMINIUM PROFILE LIGHTING



PRODUCT RANGE



IM-102 17mm Conceal



IM-103 17mm Surface



IM-121 Corner



IM-801 25mm Conceal



PRODUCT RANGE





IM-801 25mm Surface



IM-817 17*12mm Conceal



IM-818 17*12mm Surface



IM-864 12mm Conceal



IM-863 12mm Surface



IM-839a 10mm Conceal



IM-839 10mm Surface



IM-870 8mm Conceal



IM-841 8mm Surface



IM-010 35mm Conceal



IM-009 35mm Surface



IM-007-35*20mm Conceal



IM-008 35*20mm Surface



IM-002 50*35mm Conceal



IM-001 50*35mm Surface



IM-005 50*20mm Conceal



IM-006 50*20mm Surface



IM-16*16mm Silicon



IM-12*12mm Silicon



IM-102 17MM CONCEAL

PRODUCT DETAILS

IM -102 17mm Conceal


3m Aluminium Profile

3m Pc cover

2Pc/meter End Cap

2Pc/meter Clips

IM-103 17MM SURFACE



IM -103 17mm Surface

3m Aluminium Profile

3m Pc cover





IM-121 Corner

PRODUCT DETAILS




IM -121 Corner

3m Aluminium Profile

2Pc/meter End Cap

IM-801 25MM CONCEAL



IM -801 25mm Conceal

3m Aluminium Profile

3m Pc cover





IM-801 25MM SURFACE

PRODUCT DETAILS

IM-801 25mm Surface

3m Aluminium Profile


2Pc/meter End Cap

IM-817 17*12MM CONCEAL



IM-817 17*12mm Conceal

3m Aluminium Profile





IM-818 17*12MM **SURFACE**



PRODUCT DETAILS


IM-818 17*12mm Surface

3m Aluminium Profile

2Pc/meter End Cap


2Pc/meter Clips

IM-864 12MM CONCEAL



IM -864 12mm Conceal

3m Aluminium Profile





IM-863 12MM SURFACE




PRODUCT DETAILS

IM-863 12mm Surface

3m Aluminium Profile

2Pc/meter End Cap

IM-839A 10MM CONCEAL



IM-839a 10mm Conceal

3m Aluminium Profile

3m Pc cover





IM-839 10MM SURFACE

PRODUCT DETAILS




IM-839 10mm Surface

3m Aluminium Profile

2Pc/meter End Cap

2Pc/meter Clips

IM-870 8MM CONCEAL



IM-870 8mm Conceal

3m Aluminium Profile





IM-841 8MM SURFACE



PRODUCT DETAILS

IM-8418mm Surface

3m Aluminium Profile

3m Pc cover

2Pc/meter End Cap

2Pc/meter Clips

IM-010 35MM CONCEAL



IM-010 35mm Conceal

3m Aluminium Profile





IM-009 35MM SURFACE

PRODUCT DETAILS

IM-009 35mm Surface

3m Aluminium Profile

3m Pc cover

2Pc/meter End Cap

IM-007-35*20MM CONCEAL



IM-007-35*20mm Conceal

3m Aluminium Profile

3m Pc cover





IM-008 35*20MM **SURFACE**



PRODUCT DETAILS

IM-008 35*20mm Surface

3m Aluminium Profile

2Pc/meter End Cap

IM-002 50*35MM CONCEAL



IM-002 50*35mm Conceal

3m Aluminium Profile

2Pc/meter End Cap

2Pc/meter Clips





IM-001 50*35MM **SURFACE**

PRODUCT DETAILS


IM-001 50*35mm Surface

3m Aluminium Profile

2Pc/meter End Cap

2Pc/meter Clips

IM-005 50*20MM CONCEAL



IM-005 50*20mm Conceal

3m Aluminium Profile





IM-006 50*20MM **SURFACE**



PRODUCT DETAILS

IM-006 50*20mm Surface

3m Aluminium Profile

2Pc/meter End Cap

IM-16*16MM **SILICON**



IM-16*16mm Conceal

100m Roll

End Clip Extra


Side Cap Extra

Aluminium Mesh Extra





IM-12*12 SILICON



PRODUCT DETAILS

IM-12*12 Surface 100m Rool Side Cap Extra







MAGNETIC PROFILE



It consists of an energised and magnetised profile (recessed / surface / pendant) in which various lighting inserts can be added. The light inserts can be easily plugged, unplugged and positioned within the track profiles without any mechanical latching.

PRODUCT RANGE








MAGNETIC PROFILE

It consists of an energised and magnetised profile (recessed / surface / pendant) in which various lighting inserts can be added. The light inserts can be easily plugged, unplugged and positioned within the track profiles without any mechanical latching.



PRODUCT DETAILS

Model Number	Dimension	Lumen
IM-20PROFILE-10W_580	300*22*25MM	1000LM
IM-20PROFILE-20W_900	600*22*25MM	2000LM
IM-20PROFILE-30W_Coming Soon	900*22*25MM	3000LM
Color Available :	● Warm White ● Natural White	



MAGNETIC GRILL



These surface-mounted lights illuminate your grill, so you can continue the fun even after the sun goes down. There's also a flexible gooseneck with diverse angle adjustment, so you can quickly move the light where it's needed.


PRODUCT RANGE







MAGNETIC GRILL





PRODUCT DETAILS

112*22*25MM	600LM
220*22*25MM	1200LM
325*22*25MM	1800LM
	220*22*25MM



MAGNETIC WALLWASHER

Wall washing illuminates a vertical surface with uniform brightness. Wall washing draws atten tion to the wall, and can be used to accentuate an entrance, fireplace, or artwork. The light reflected from matte surface walls can make a room appear bright and will provide a soft, diffuse light in the room.


PRODUCT RANGE







MAGNETIC WALLWASHER





PRODUCT DETAILS

Model Number	Dimension	Lumen
IM-20FOLDING-6W_800	135*22*100MM	600LM
IM-20FOLDING-12W_1200	23*22*100MM	1200LM
Color Availat	ole: Warm White Natural White	





MAGNETIC TRACK

Magnetic track lights are a lighting system that can be freely combined in modules according to your requirements, and are generally available in four types: flood light modules, grille modules, spotlight modules and linear light modules.

PRODUCT RANGE







MAGNETIC TRACK

Magnetic track lights are a lighting system that can be freely combined in modules according to your requirements, and are generally available in four types: flood light modules, grille modules, spotlight modules and linear light modules.



PRODUCT DETAILS

Model Number	Dimension	Lumen
IM-20TRACK-10W_1100	47*174MM	1000LM
IM-20TRACK-20w_Coming Soon	67*193MM	2000LM
IM-20RRACK-30W_Coming Soon	76*224MM	3000LM
Color Available :	Warm White	



MAGNETIC HANGING

They are the latest trend in flexible track lighting. These have a magnetic track channel in which the lights can be easily attached or detached from the track channel. This system has many attachments and they can also be completely concealed in the false ceiling, thus they give a very aesthetic fell to the interiors.


PRODUCT RANGE








MAGNETIC HANGING



PRODUCT DETAILS

Model Number	Dimension	Lumen
IM-20ENDANT-9W_Coming Soon	50*300MM	900LM
Color Available :	Warm White Natural White	



MAGNETIC ACCESSORIES

Magnetic Lighting Accessories comprises track lighting system including power input cable, built-in driver, or external power supplies, L shape connector, and adapters(horizontal and vertical connector). You can download this PDF file to learn details about these accessories.

PRODUCT RANGE







MAGNETIC ACCESSORIES

Magnetic Lighting Accessories comprises track lighting system including power input cable, built-in driver, or external power supplies, L shape connector, and adapters(horizontal and vertical connector). You can download this PDF file to learn details about these accessories.




PRODUCT DETAILS

Model Number
IM-1Meter TRACK_900
IM-2METER TRACK_1800
IM-3METER TRACK_2700
IM-I CONNECTOR_300
IM-L CONNECTOR_300
IM-L CONNECTOR_600
100W PLUG IN DRIVER_1300
200W PLUG IN DRIVER_1850









LED POST TOP LUMINAIRES





615x460mm 40w
615x460mm 60w

Size(WxH)mm	Wattage ± 5%
425x680mm	50w
510x800mm	80w
	425x680mm





Cat. Rel. No.	Size(WxH)mm	Wattage ± 5%
SL-PT-05	340x620mm	40w
SL-PT-06	490x890mm	60w
Cast Aluminium Lig	hting Fixtures, Polycarbonate diffuser, Corrosion and UV Ray resistant coati	

The state of the s
40w
60w







Cat. Rel. No.	Size(WxH)mm	Wattage ± 5%
SL-PT-09	445x995mm	50w
SL-PT-10	445x995mm	80w

Cast Aluminium Lighting Fixtures, Polycarbonate diffuse, Stainless Steel Screw, Corrosion

Cat. Rel. No.	Size(WxH)mm	Wattage ± 5%
SL-PT-11	625x800mm	50w
SI-PT-12	625x800mm	80w





P.	Cat. Rel. No.	Size(WxH)mm	Wattage ± 5%
	SL-PT-13	420x900mm	40w
	SL-PT-14	420x900mm	60w
	75 LU 177	n aluminium Top, Acrylic diffuser, Stair UV Ray Resistant Coating.	nless Steel Screw, Corrosion

500x780mm	50w
625x930mm	80w
	THE CONTRACT CONTRACTOR





Cat. Rel. No.	Size(WxH)mm	Wattage ± 5%
SL-PT-17	545x875mm	50w
SL-PT-18	545x875mm	80w
Cast Aluminium Lig	hting Fixtures, Polycarbonate diffuser, Corrosion and UV Ray resistant coati	





Cat. Rel. No.	Size(WxH)mm	Wattage ± 5%
SL-PT-19	500x1270mm	50w
SI-PT-20	500x1270mm	80w

Size(WxH)mm	Wattage ± 5%
505x1010mm	50w
505x1010mm	80w
	505x1010mm





ge ± 5%
)w
w





LED POST TOP HANGING LUMINAIRES





Cat. Rel. No.	Size(WxH)mm	Wattage ± 5%
SL-PT-25	425x430mm	50w
SL-PT-26	510x560mm	80w
Cast Spun Aluminium Lightin	g Fixtures, Acrylic diffuser, Silicon rubb	

Cat. Rel. No.	Size(WxH)mm	Wattage ± 5%
SL-PT-27	548x620mm	50w
SL-PT-28	625x630mm	80w
Cast Aluminium Lig	hting Fixtures, Polycarbonate diffuser, Corrosion and UV Ray resistant coati	Stainless steel screws, na.





(WxH)mm Wattage±5%
00x590mm 50w
(

Size(WxH)mm	Wattage ± 5%
485x690mm	50w
485x790mm	80w
	485x690mm



GARDEN LIGHT BOLLARDS





Cat. Rel. No.	Wattage ± 5%	Height mm
SL-GL-05	5W	380mm
SL-GL-06	10W	680mm
SL-GL-07	10W	800mm

Cat. Rel. No.	Wattage ± 5%	Height mm
SL-GL-08	E-27	500mm
SL-GL-09	5W	500mm
SL-GL-10	10W	760mm
	ium Housing Powder Coated, Acrylic eel Screws , Corrasion & UV Ray Resist	









Cat. Rel. No.	Wattage ± 5%	Height mm
SL-GL-11	E-27	500mm
SL-GL-12	5W	500mm
SL-GL-13	10W	760mm

Stainless Steel Screws , Corrasion & UV Ray Resistant Coating

Cat. Rel. No.	Wattage ± 5%	Height mm
SL-GL-14	E-27	500mm
SL-GL-15	5W	500mm
SL-GL-16	10W	760mm





Cat. Rel. No.	Wattage ± 5%	Height mm
SL-GL-17	E-27	500mm
SL-GL-18	5W	500mm
SL-GL-19	10W	760mm

Cat. Rel. No.	Wattage ± 5%	Height mm
SL-GL-20	6W	500mm
SL-GL-21	12W	760mm
	nium Housing Powder Coated, Acrylic teel Screws , Corrasion & UV Ray Resist	





Cat. Rel. No.	Wattage ± 5%	Height mm
SL-GL-22	12W	800mm





Cat. Rel. No. Wattage ± 5% Height mm 800mm

SL-GL-23 12W

Aluminium Housing Powder Coated, Acrylic diffuser Stainless Steel Screws , Corrasion & UV Ray Resistant Coating

Cat. Rel. No.	Wattage ± 5%	Height mm
SL-GL-24	E-27	365mm
SL-GL-25	E-27	750mm
SL-GL-26	E-27	930mm




800mm



Wattage ± 5% Cat. Rel. No. Height mm

SL-GL-27

Aluminium Housing Powder Coated, Acrylic diffuser Stainless Steel Screws , Corrasion & UV Ray Resistant Coating





1000mm



Cat. Rel. No. Wattage ± 5% Height mm

SL-GL-28 36W

Aluminium Housing Powder Coated, Acrylic diffuser Stainless Steel Screws , Corrasion & UV Ray Resistant Coating

Wattage ± 5% Cat. Rel. No. Height mm

SL-GL-29 2020W COB 1000mm

> Aluminium Housing Powder Coated, Acrylic diffuser Stainless Steel Screws, Corrasion & UV Ray Resistant Coating



Cat. Rel. No. Wattage ± 5% Height mm

SL-GL-30 36W

Aluminium Housing Powder Coated, Acrylic diffuser Stainless Steel Screws , Corrasion & UV Ray Resistant Coating

Wattage ± 5% Cat. Rel. No. Height mm

SL-GL-31 1000mm

Aluminium Housing Powder Coated, Acrylic diffuser Stainless Steel Screws , Corrasion & UV Ray Resistant Coating



1000mm



Cat. Rel. No. Wattage ± 5% Height mm

SL-GL-32 900mm

Aluminium Housing Powder Coated, Acrylic diffuser Stainless Steel Screws , Corrasion & UV Ray Resistant Coating





Cat. Rel. No. Wattage ± 5% Height mm

SL-GL-33

870mm

Aluminium Housing Powder Coated, Acrylic diffuser Stainless Steel Screws , Corrasion & UV Ray Resistant Coating

Height mm Cat. Rel. No. Wattage ± 5%

SL-GL-34 E-27 970mm

Aluminium Housing Powder Coated, Acrylic diffuser Stainless Steel Screws , Corrasion & UV Ray Resistant Coating





Cat. Rel. No.	Size WxH (mm)	Lamp Type
SL-GL-35	Single Arm 260x1215mm	Retrofit LED
SL-GL-36	Double Arm 650x1160mm	Retrofit LED

Cat. Rel. No.	Size WxH (mm)	Lamp Type
SL-GL-37	Single Arm 220x1125mm	Retrofit LED
SL-GL-38	Double Arm 220x1125mm	Retrofit LED





Cat. Rel. No.	Size WxH (mm)	Lamp Type
SL-GL-39	Single Arm 280x1255mm	Retrofit LED
SL-GL-40	Double Arm 280x1255mm	Retrofit LED





Cat. Rel. No.	Size WxH (mm)	Lamp Type
SL-GL-41	Single Arm 250x1185mm	Retrofit LED
SL-GL-42	Double Arm 655x1455mm	Retrofit LED

Cat. Rel. No.	Size WxH (mm)	Lamp Type
SL-GL-43	Single Arm 250x1185mm	Retrofit LED
SL-GL-44	Double Arm 655x1455mm	Retrofit LED





DECORATIVE PILES


























Cat. No. SL-DP-04

Cat. No. SL-DP-05

Cat. No. SL-DP-06



SL-DP-07









Cat. No. SL-DP-10



Cat. No. SL-DP-11



Cat. No.





Cat. No.

SL-DP-13



Cat. No.

SL-DP-14



Cat. No.

SL-DP-15




Cat. No.

SL-DP-16



Cat. No.

SL-DP-17



Cat. No.

SL-DP-18



SPIKE GARDEN LIGHTS









Wattage: 6W, 12W



Cat. No. : SL-PG-03 Wattage: 9W, 12W






Cat. No.: SL-PG-04





Cat. No.: SL-PG-05 Wattage: 9W, 12W





DECORATIVE MODERN POLES
























DECORATIVE MODERN POLES





Cat. No. SL-DMPL-10



Cat. No. SL-DMPL-11



Cat. No. SL-DMPL-12



Cat. No. SL-DMPL-13



Cat. No. SL-DMPL-14



Cat. No. SL-DMPL-15



Cat. No. SL-DMPL-16



Cat. No. SL-DMPL-17



Cat. No. SL-DMPL-18



Cat. No. SL-DMPL-19



Cat. No. SL-DMPL-20



Cat. No. SL-DMPL-21

DECORATIVE MODERN POLES


















DESIGNER DECORATIVE POLES





Cat. No. SL-DDPL-01



Cat. No. SL-DDPL-02



Cat. No. SL-DDPL-03



Cat. No. SL-DDPL-04



Cat. No. SL-DDPL-05



Cat. No. SL-DDPL-06









DESIGNER DECORATIVE POLES





Cat. No. SL-DDPL-10



Cat. No. SL-DDPL-11



Cat. No. SL-DDPL-12



Cat. No. SL-DDPL-13



Cat. No. SL-DDPL-14



Cat. No. SL-DDPL-15



CASTED DECORATIVE POLE LIGHTS





Cat. Rel. No.	Size WxH (mm)	Lamp Type
SL-CDPL-01	920x2750mm	Retrofit LED

Cat. Rel. No.	Size WxH (mm)	Lamp Type
SL-CDPL-02	780x3030mm	Retrofit LED





Cat. Rel. No.	Size WxH (mm)	Lamp Type
SL-CDPL-03	655x1455mm	Retrofit LED

Cat. Rel. No.	Size WxH (mm)	Lamp Type
SL-CDPL-04	910x2720mm	Retrofit LED





Cat. Rel. No.	Size WxH (mm)	Lamp Type
SL-CDPL-05	920x2750mm	Retrofit LED



LED Lighting Service

We are currently manufacturing and servicing a wide range of LED products starting from Led panels, led tube lights, high bay lights etc, for commercial and industrial use. Our products quality and technical specification are at par with the top brands available in India.

Lighting Supply

We have been supling LED Industrial and Commercial Lighting for 5+ years. From the latest LED products to older lighting technologies, as well as bulbs, ballasts, drivers, electrical accessories, tools and more, we offers more than 300 products, a huge inventory of in-stock items and over a hundred brand names.

Marketing

We are a leading LED Manufacturing and Maketing company in India LED products to older lighting technologies, as well as bulbs, ballasts, drivers, electrical accessories, tools and more.

Manufacturing and Repairing

We are one of the leading brand name in the area of manufacturer & repairing the led lights all over india. For the diverse requirements of our valued clients, we are Manufacturing an impeccable range of LED Solar street light, Street Light, Flood Light, Bay Light and many more.t

Light Installation

However, installing a light is no small task. The project requires working with electricity, which can be hazardous. A licensed electrician can install your new lighting, whether you're simply replacing or running power to a whole new site. We knows how to install a light correctly and quickly according to the need.

LED Lighting Service



Electrical Wiring

When it comes to electrical work, experience is crucial. Hiring a contractor who is inexperienced can lead to hazardous complications and an unsafe building. The electrical systems for your home and office are vastly different, and they require an electrician who has had hands-on experience. We have a team of experienced technician how can done the work perfectly.

Low Voltage Cabling

Low-voltage cabling is electrical wiring and trim that requires less current to power infrastructural technologies such as phones, security wires, fire alarms, intercoms, internet, etc. WeWith low-voltage cabling solutions from us, you don't just get equipment plugged in for you. You get a structured cabling partner that keeps your business operating, both now and in the future.

MS & PVC Conducting

PVC Conduit Pipe is simply a wire ducting tube with fire-retardant and low-smoke properties. Our decades of experience with the product clearly sets us apart from other conduit pipe manufacturers in terms of both product quality and price. If you're looking for a surface wire ducting solution, check out Pressfit's

Panel Installation

We are rendering LED Panel Light Installation Service. Owing to their stress-free completion and timely completion, our services are immensely admired by our patrons. In this service, we do different types of printing in proficient way.

LED Lighting Service



Fitter Piller, Pole Light Installation.

We are one of the well-established service providers of Fitter piller and pole light installation Service providers. The offered service comprises of the installation and erection of electrical poles, for laying lighting network. Our offered service is available at minimal price plan and rates.



Our Clients









GRAND HYATT









Our Clients



Orris Floreal Towers

Location: Sec-83, Manesar Toll Plaza, Gurugram



Vatika Atrium

Sec-54, Golf Course Road, Gurugram



Ireo Corridors

Sec-67A, Gurugram



Cinepolis

Golf Course Ext Rd, Sector 58, Gurugram




Stanza Living

Golf Course Ext Rd, Sector 58, Gurugram



Grand Hayatt

Sector 58, Gurugram



Our Ongoing Projects



Project Name	Location	Scope of Work
Ireo Retail	Gurugram	Lighting
Ireo Corridors	Gurugram	Lighting
Orris Aster Court	Gurugram	Lighting
Ireo Office Tower	Gurugram	Lighting





